

CONSUMER PRODUCTS SERVICES DIVISION

WORZALLA PUBLISHING CO.

 Technical Report:
 (5122)055-0040
 March 10, 2022

 Date Received:
 February 28, 2022
 Page 1 of 4

PAUL DAVIS WORZALLA PUBLISHING CO. 3535 JEFFERSON STREET STEVENS POINT, WI 54481 UNITED STATES

Sample Description:

THE POWER OF YET JOB #416325

Vendor:

Manufacturer:

WORZALLA, INC. WORZALLA, INC.

Sample Size:

Style No(s):

PUR HARDCASE, 4 COLOR BOOK WITH 4

COLOR BOOK WITH COLOR JACKET W/ MATTE SCUFF FRE

LAM

Buyer:

N/A N/A SKN/SKU No.:

978-1-4197-4003-9

Labeled Age Grade: Appropriate Age Grade:

N/A

PO No.: Ref #: 190814

Appropriate Age Grade: N
Client Specified Age N

N/A N/A

Country of Origin:

UNITED STATES

Grade:

Tested Age Grade: UPC Code:

N/A N/A Assortment No.:

N/A

EXECUTIVE SUMMARY:

The sample(s) MEETS the following requirement(s):

- The total lead content of 100 ppm requirements by composite testing in substrate materials (Consumer Products Safety Improvement Act (CPSIA) of 2008).
- The client's 8 phthalates content requirement.

Note: No accessible surface coating was present on the received sample(s). Consequently, the lead content analysis of surface coatings according to modified 16 CFR 1303, "Ban of lead-containing paint and certain consumer products bearing lead-containing paint" (Consumer Products Safety Improvement Act (CPSIA) of 2008), was not conducted.

Note: According to the associated documents of Consumer Product Safety Improvement Act (CPSIA) of 2008, exemptions were granted to certain materials or products, such as natural materials / paper and similar materials / CMYK process printing inks / metal & alloys / electronics devices components / ordinary books / dyed & undyed textiles. Therefore, the lead content analysis of CMYK paper was not conducted.

Note: Based on the assessment of the received sample(s), the product and its components DO NOT require phthalates testing as part of the approved testing program (CPSIA).



WORZALLA PUBLISHING CO. Technical Report: **(5122)055-0040** March 10, 2022 Page 2 of 4

BVCPS Buffalo Contact Information for this Report:

Administrative Questions: Tammy Miller Phone: 716-505-3471 <u>tammy.miller@bureauveritas.com</u>

Technical Questions: Scott Cybart Phone: 716-505-3429 <u>scott.cybart@bureauveritas.com</u>

Bureau Veritas

Consumer Products Services, Inc.

Scott Cybart, Product Chemist

Health, Beauty, Household and Food Products

/cag



WORZALLA PUBLISHING CO. Technical Report: **(5122)055-0040** March 10, 2022 Page 3 of 4

RESULTS:

TOTAL LEAD CONTENT IN SUBSTRATE BY COMPOSITE TESTING (100PPM) (Consumer Product Safety Improvement Act (CPSIA) of 2008)

Test Method: U.S. CPSC-CH-E1001-08.3:2012 or U.S. CPSC-CH-E1002-08.3:2012

Analyte	Lead
Requirement: Maximum allowable limit:	100 mg/kg

Analyte	Lead (Pb)			
Sample I	Result	Conclusion		
Color / Component	Location	Style	(mg/kg)	
(A) Clear thin plastic	Dust jacket, cover		LT 10.0	Pass

LT = Less Than

mg/kg = milligrams per kilogram (ppm = parts per million)

* = Average of duplicate analyses



WORZALLA PUBLISHING CO. Technical Report: **(5122)055-0040** March 10, 2022

Page 4 of 4

CLIENT'S 8 PHTHALATES CONTENT

Test Method: With reference to U. S. CPSC-CH-C1001-09.3 (April 1, 2010).

Sample ID	Color / Component	Location	Style
А	Comp Clear and Smooth Clear Thin Plastic with Multi Color Print Paper	Jacket and Cover	Ħ
В	Multi Color Coating	Pages	-

Test	BBP	DBP	DIBP	DCHP	DNPP	DNHP	DEHP	DINP	Conclusion
Parameter									
Limit (%)	0.1	0.1	0.1	0.1	0,1	0.1	0,1	0.1	
Sample		Result (%)							
Α	LT	LT	LT	LT	LT 0.005	LT	LT 0.005	LT	PASS
	0.005	0.005	0.005	0.005	111	0.005		0.005	
В	LT	LT	LT	LT	LT 0.005	LT	LT 0.005	LT	PASS
	0.005	0.005	0.005	0.005		0.005		0.005	

Detection Limit:

BBP = Butyl benzyl phthalate (0.005%)

DBP = Dibutyl phthalate (0.005%)

DIBP = Di-iso-butyl phthalate (0.005%)

DCHP = Dicyclohexyl phthalate (0.005%)

DNPP = Di-n-pentyl phthalate (0.005%)

DnHP = Di-n-hexyl phthalate (0.005%)

DEHP = Di(2-ethylhexyl) phthalate (0.005%)

DINP = Di-iso-nonyl phthalate (0.005%)

Results reported in percentage

LT = Less than

GT = Greater than

ND = None detected